AUTHOR INDEX

Adams, K.L. and Jensen, A.H. (Urbana, IL, U.S.A.)
High-fat maize in diets for pigs and sows
Alhassan, W.S., Bello, S.A. and Obilana, A.B. (Zaria, Nigeria)
Yield and potential feeding value of straws of grain sorghum cultivars developed in
Nigeria
Aman, P. and Graham, H. (Uppsala, Sweden)
Whole-crop peas. I. Changes in botanical and chemical composition and rumen in vitro
degradability during maturation
Åman, P., see Graham, H. and Åman, P.
see Nordkvist, E. et al.
see Petterson, D. et al.
Atuahene, C.C., Donkoh, A. and Swatson, H. (Kumasi, Ghana)
Oil palm slurry (OPS) as a partial replacement for maize in the diets of broiler chickens 157
Bello, S.A., see Alhassan, W.S. et al.
Belyea, R.L., Martz, F.A., Madhisetty, M. and Davis, T.P. (Columbus, MO, U.S.A.)
Intake, digestibility and energy utilization of corrugated paper diets 57
Berger, L.L., see Lewis, S.M. et al.
Bremel, D.H., see Teh, T.H. et al.
Cherney, J.H., Johnson, K.D., Tuite, J. and Volenec, J.J. (West Lafayette, IN, U.S.A.)
Microfloral and compositional changes in alfalfa hay treated with sodium diacetate and
stored at different moisture contents
Crooks, P., see Morgan, C.A. et al.
Davis, T.P., see Belyea, R.L. et al.
D'Mello, J.P.F. (Edinburgh, Gt. Britain)
Utilisation of L- and DL-amino acids by broiler chicks fed diets containing Pruteen 1
Donkoh, A., see Atuahene, C.C. et al.
Elliot, J.I., Modler, H.W. and Timbers, G.E. (Ottawa, Ont., Canada)
A continuous process for the production of purified porcine γ -globulin for use in pig-milk
replacer supplements
Fahey, G.C., Jr., see Lewis, S.M. et al.
Flachowsky, G., Wolfram, D., Wolf, I. and Henning, A. (Strasse, G.D.R.)
Digestibility and beef performances after feeding NaOH- or KOH-treated pig wastes 235
Graham, H. and Aman, P. (Uppsala, Sweden)
Whole-crop peas. II. Digestion of early- and late-harvested crops in the gastrointestinal
tract of pigs
Graham, H., see Aman, P. and Graham, H.
see Nordkvist, E. et al.
Griffith, E.S., see McAllan, A.B. and Griffith, E.S.
Gould, J.M., see Lewis, S.M. et al.
Harmon, R.J., see Teh, T.H. et al.
Hemken, R.W., see Teh, T.H. et al.
Henning, A., see Flachowsky, G., et al.
Hesselman, K., see Pettersson, D. et al.
Hlödversson, R. (Uppsala, Sweden)
The nutritive value of white- and dark-flowered cultivars of pea for growing-finishing
pigs

Holzgraefe, D.P., see Lewis, S.M. et al.
Husain, R.A.K., see Offer, N.W. and Husain, R.A.K.
Jensen, A.H., see Adams, K.L. and Jensen, A.H.
Johnson, K.D., see Cherney, J.H. et al.
Karunajeewa, H. and Tham, S.H. (Werribee, Vic., Australia)
The influence of oat groats and dietary level of lysine on the laying performance of crossbred hens
Kornegay, E.T., see Ravindran, V. et al.
Lechtenberg, V.L., see Moore, K.J. and Lechtenberg, V.L.
Leng, R.A., see Perdock, H.B. and Leng, R.A.
Lewis, S.M., Holzgraefe, D.P., Berger, L.L., Fahey, G.C., Jr. (Urbana, IL, U.S.A.), Gould,
J.M. and Fanta, G.F. (Peoria, IL, U.S.A.)
Alkaline hydrogen peroxide treatments of crop residues to increase ruminal dry matter
disapperance in sacco
Madl. setty, M., see Belyea, R.L. et al.
Martz, F.A., see Belyea, R.L. et al.
McAllan, A.B. and Griffith, E.S. (Reading, Gt. Britain)
The effects of different sources of nitrogen supplementation on the digestion of fibre
components in the rumen of steers
Mirgani, T. (Khartoum, Sudan)
Effect of sodium hydroxide treatment of desert grass on carbohydrate digestibility by
goats
Modler, H.W., see Elliot, J.I. et al.
Moore, K.J. (Urbana, IL, U.S.A.) and Lechtenberg, V.L. (West Lafayette, IN, U.S.A.)
Chemical composition and digestion in vitro of orchardgrass hay ammoniated by
different techniques
Morgan, C.A., Whittemore, C.T., Phillips, P. and Crooks, P. (Edinburgh, Gt. Britain)
The prediction of the energy value of compounded pig foods from chemical analysis 81
Nordkvist, E., Graham, H. and Åman, P. (Uppsala, Sweden)
Degradation in vitro and in sacco of red clover leaves and stems
Obilana, A.B., see Alhassan, W.S. et al.
Offer, N.W. and Husain, R.A.K. (Ayr, Gt. Britain)
Fish silage as a protein supplement for early-weaned calves
Perdock, H.B. and Leng, R.A. (Armidale, N.S.W., Australia)
Hyperexcitability in cattle fed ammoniated roughages
Pettersson, D., Hesselman, K. and Aman, P. (Uppsala, Sweden)
Nutritional value for chickens of dried distillers-spent-grain from barley and dehulled
barley
Phillips, P., see Morgan, C.A. et al.
Rajagura, A.S.B., see Ravindran, V. et al.
Ravindran, V., Rajagura, A.S.B. (Peradeniya, Sri Lanka) and Kornegay, E.T. (Blacksburg,
VA, U.S.A.)
Influence of processing methods and storage time on the cyanide potential of cassava leaf
meal227
Swatson, H., see Atuahene, C.C. et al.
Tahm, S.H., see Karunajeewa, H. and Tahm, S.H.
Teh, T.H., Hemken, R.W., Bremel, D.H. and Harmon, R.J. (Lexington, KY, U.S.A.)
Comparison of buffers on rumen functions, turnover rate and gastric secretions in
Holstein steers

Timbers, G.E., see Elliot, J.I. et al.
Tuite, J., see Cherney, J.H. et al.
Volenec, J.J., see Cherney, J.H. et al.
Whittemore, C.T., see Morgan, C.A. et al.
Wolf, I., see Flachowsky, G. et al.
Wolfram, D., see Flachowsky, G. et al.

SUBJECT INDEX

Alfalfa
Microfloral and compositional changes in alfalfa hay treated with sodium diacetate and
stored at different moisture contents
Amino acids
Utilisation of L- and DL-amino acids by broiler chicks fed diets containing Pruteen 1
Ammonia
Chemical composition and digestion in vitro of orchardgrass hay ammoniated by
different techniques
Hyperexcitability in cattle fed ammoniated roughages
Artistidia adsensconis
Effect of sodium hydroxide treatment of desert grass on carbohydrate digestibility by
goats
Barley
Nutritional value for chickens of dried distillers-spent-grain barley and dehulled barley 145
Blood
A continuous process for the production of purified porcine γ-globulin for use in pig-milk
replacer supplements
Broiler chickens
Oil palm slurry (OPS) as a partial replacement for maize in the diets of broiler chickens 157
Utilisation of L- and DL-amino acids by broiler chicks fed diets containing Pruteen 1
Buffers
Comparison of buffers on rumen functions, turnover rate and gastric secretions in
Holstein steers
Calves
Fish silage as a protein supplement for early-weaned calves
Cassava
Influence of processing methods and storage time on the cyanide potential of cassava leaf
meal
Cattle
Comparison of buffers on rumen functions, turnover rate and gastric secretions in
Holstein steers
Digestibility and beef performance after feeding NaOH- or KOH-treated pig wastes 235
Hyperexcitability in cattle fed ammoniated roughages
Intake, digestibility and energy utilization of corrugated paper diets
The effect of different sources of nitrogen supplementation on the digestion of fibre
components in the rumen of steers
Chemical analysis
The prediction of the energy value of compounded pig foods from chemical analysis 81
Chemical composition
Chemical composition and digestion in vitro of orchardgrass hay ammoniated by
different techniques
Nutritional value for chickens of dried distillers-spent-grain barley and dehulled barley 148
The prediction of the energy value of compounded pig foods from chemical analysis 8:
Whole-crop peas. I. Changes in botanical and chemical composition and rumen in vitro
degradability during maturation

Chickens	
Nutritional value for chickens of dried distillers-spent-grain barley and dehulled barley 14	45
Utilisation of L- and DL-amino acids by broiler chicks fed diets containing Pruteen	1
Clover	_
Degradation in vitro and in sacco of red clover leaves and stems	95
Crop composition	
Microfloral and compositional changes in alfalfa hay treated with sodium diacetate and	
	45
Whole-crop peas. I. Changes in botanical and chemical composition and rumen in vitro	
degradability during maturation	15
Whole-crop peas. II. Digestion of early- and late-harvested crops in the gastrointestinal	
tract of pigs	33
Crop maturation	
Whole-crop peas. I. Changes in botanical and chemical composition and rumen in vitro	
	15
Whole-crop peas. II. Digestion of early- and late-harvested crops in the gastrointestinal	
tract of pigs	33
Cyanide	
Influence of processing methods and storage time on the cyanide potential of cassava leaf	
meal2	27
Desert Grass	
Effect of sodium hydroxide treatment of desert grass on carbohydrate digestibility by	
goats	19
Degradation	OF
Degradation in vitro and in sacco of red clover leaves and stems	90
degradability during maturation	15
Dietary supplements	10
A continuous process for the production of purified porcine y-globulin for use in pig-milk	
replacer supplements	113
Fish silage as a protein supplement for early-weaned calves1	
Oil palm slurry (OPS) as a partial replacement for maize in the diets of broiler chickens 1	
The effects of different sources of nitrogen supplementation on the digestion of fibre	
components in the rumen of steers	65
Utilisation of L- and DL-amino acids by broiler chicks fed diets containing Pruteen	1
Diets	
High-fat maize in diets for pigs and sows	201
Intake, digestibility and energy utilization of corrugated paper diets	57
Oil palm slurry (OPS) as a partial replacement for maize in the diets of broiler chickens 1	57
The nutritive value of white- and dark-flowered cultivars of peas for growing-finishing	
pigs	
The prediction of the energy value of compounded pig foods from chemical analysis	81
Digestibility	
The nutritive value of white- and dark-flowered cultivars of peas for growing-finishing	
pigs	245
Digestion	
Alkaline hydrogen peroxide treatments of crop residues to increase ruminal dry matter	
disappearance in sacco	179
Chemical composition and digestion in vitro of orchardgrass hay ammoniated by	
different techniques	109

Comparison of buffers on rumen functions, turnover rate and gastric secretions in
Holstein steers257
Degradation in vitro and in sacco of red clover leaves and stems
Digestibility and beef performance after feeding NaOH- or KOH-treated pig wastes 235 Effect of sodium hydroxide treatment of desert grass on carbohydrate digestibility by
goats
Intake, digestibility and energy utilization of corrugated paper diets
Nutritional value for chickens of dried distillers-spent-grain barley and dehulled barley 145 The effect of different sources of nitrogen supplementation on the digestion of fibre
components in the rumen of steers
Whole-crop peas. II. Digestion of early- and late-harvested crops in the gastrointestinal
tract of pigs
Energy
The prediction of the energy value of compounded pig foods from chemical analysis 81 Fat
High-fat maize in diets for pigs and sows
Fibre
The effect of different sources of nitrogen supplementation on the digestion of fibre
components in the rumen of steers
Fish silage
Fish silage as a protein supplement for early-weaned calves
Food value
Yield and potential feeding value of straws of grain sorghum cultivars developed in
Nigeria
Gastric secretions
Comparison of buffers on rumen functions, turnover rate and gastric secretions in Holstein steers
Goats
Effect of sodium hydroxide treatment of desert grass on carbohydrate digestibility by
goats
Grass
Effect of sodium hydroxide treatment of desert grass on carbohydrate digestibility by goats
Groats
The influence of oat groats and dietary level of lysine on the laying performance of crossbred hens
Hay
Chemical composition and digestion in vitro of orchardgrass hay ammoniated by different techniques
Microfloral and compositional changes in alfalfa hay treated with sodium diacetate and
stored at different moisture contents
Hens The influence of oat groats and dietary level of lysine on the laying performance of
crossbred hens
Hydrogen peroxide Alkaline hydrogen peroxide treatments of crop residues to increase ruminal dry matter
disappearance in sacco
Hyperexcitability
Hyperexcitability in cattle fed ammoniated roughages
Immunoglobulin
A continuous process for the production of purified porcine γ -globulin for use in pig-milk replacer supplements

I aring parformance
Laying performance The influence of oat groats and dietary level of lysine on the laying performance of crossbred hens
Lysine
The influence of oat groats and dietary level of lysine on the laying performance of crossbred hens
Maize
High-fat maize in diets for pigs and sows
Oil palm slurry (OPS) as a partial replacement for maize in the diets of broiler chickens 157
Manihot esculenta Crantz.
Influence of processing methods and storage time on the cyanide potential of cassava leaf
meal
Medicago sativa
Microfloral and compositional changes in alfalfa hay treated with sodium diacetate and
stored at different moisture contents
Methylophilus methylotrophus
Utilisation of L- and DL-amino acids by broiler chicks fed diets containing Pruteen
Microflora
Microfloral and compositional changes in alfalfa hay treated with sodium diacetate and
stored at different moisture contents
Milk
A continuous process for the production of purified porcine γ -globulin for use in pig-milk
replacer supplements
Nigeria Yield and potential feeding value of straws of grain sorghum cultivars developed in
Nigeria
Nitrogen Chemical composition and digestion in vitro of orchardgrass hay ammoniated by
different techniques
The effect of different sources of nitrogen supplementation on the digestion of fibre
components in the rumen of steers
Nutritional value for chickens of dried distillers-spent-grain barley and dehulled barley 14
The nutritive value of white- and dark-flowered cultivars of peas for growing-finishing
pigs24
Oats 24
The influence of oat groats and dietary level of lysine on the laying performance of
crossbred hens
Oil Palm
Oil palm slurry (OPS) as a partial replacement for maize in the diets of broiler chickens 15
Orchardgrass
Chemical composition and digestion in vitro of orchardgrass hay ammoniated by different techniques
Paper
Intake, digestibility and energy utilization of corrugated paper diets
Peas
The nutritive value of white- and dark-flowered cultivars of peas for growing-finishing
pigs
Whole-crop peas. I. Changes in botanical and chemical composition and rumen in vitro
degradability during maturation

Whole-crop peas. II. Digestion of early- and late-harvested crops in the gastrointestinal	
tract of pigs	3
Performance	
Digestibility and beef performance after feeding NaOH- or KOH-treated pig wastes 23	5
Pigs	
A continuous process for the production of purified porcine γ-globulin for use in pig-milk	
replacer supplements	
High-fat maize in diets for pigs and sows)1
The nutritive value of white- and dark-flowered cultivars of peas for growing-finishing	
pigs	15
Whole-crop peas. II. Digestion of early- and late-harvested crops in the gastrointestinal	33
Pig wastes	10
Digestibility and beef performance after feeding NaOH- or KOH-treated pig wastes 23	25
	99
Potassium hydroxide	9.0
Digestibility and beef performance after feeding NaOH- or KOH-treated pig wastes 23	so
Processing methods	
Influence of processing methods and storage time on the cyanide potential of cassava leaf	
meal	27
Production	
Dictionary of animal production terminology (book review)	25
Protein	
Fish silage as a protein supplement for early-weaned calves 16	
Utilisation of L- and DL-amino acids by broiler chicks fed diets containing Pruteen	1
Red clover	
Degradation in vitro and in sacco of red clover leaves and stems	95
Residues	
Alkaline hydrogen peroxide treatments of crop residues to increase ruminal dry matter	
disappearance in sacco	79
Roughage	
Hyperexcitability in cattle fed ammoniated roughages	21
Rumen	
Alkaline hydrogen peroxide treatments of crop residues to increase ruminal dry matter	
disappearance in sacco	79
Comparison of buffers on rumen functions, turnover rate and gastric secretions in	
Holstein steers	57
The effect of different sources of nitrogen supplementation on the digestion of fibre	
components in the rumen of steers	65
Whole-crop peas. I. Changes in botanical and chemical composition and rumen in vitro	00
degradability during maturation	15
Silage	10
Fish silage as a protein supplement for early-weaned calves	CE
	00
Sodium hydroxide	0.5
Digestibility and beef performance after feeding NaOH- or KOH-treated pig wastes 2	35
Effect of sodium hydroxide treatment of desert grass on carbohydrate digestibility by	-
goats	19
Sorghum	
Yield and potential feeding value of straws of grain sorghum cultivars developed in	
Nigeria	85

Sows	
High-fat maize in diets for pigs and sows	01
Steers	
Comparison of buffers on rumen functions, turnover rate and gastric secretions in	
Holstein steers	57
The effect of different sources of nitrogen supplementation on the digestion of fibre components in the rumen of steers	65
Storage	
Influence of processing methods and storage time on the cyanide potential of cassava leaf	
meal	27
Microfloral and compositional changes in alfalfa hay treated with sodium diacetate and stored at different moisture contents	45
Straw	
Yield and potential feeding value of straws of grain sorghum cultivars developed in	
Nigeria	85
Terminology	
Dictionary of animal production terminology (book review)	25
Yield	
Yield and potential feeding value of straws of grain sorghum cultivars developed in Nigeria	85



